JP07198921

Publication little:
No title available
Abstract:
Abstract not available for JP07198921
Data supplied from the esp@cenet database - Worldwide
Courtesy of http://v3.espacenet.com

This Patent PDF Generated by Patent Fetcher(TM), a service of Stroke of Color, Inc.

(19)日本国特許庁 (JP) (12) 公開特許公報 (A)

(11)特許出願公開番号

特開平7-198921

(43)公開日 平成7年(1995)8月1日

(51) Int.Cl.6

識別記号

庁内整理番号

FΙ

技術表示箇所

G02B 5/18

審査請求 未請求 請求項の数3 OL (全 5 頁)

(21)出願番号

特願平5-337002

(22)出願日

平成5年(1993)12月28日

(71)出願人 000002185

ソニー株式会社

東京都品川区北品川6丁目7番35号

(72)発明者 小竹 利明

東京都品川区北品川6丁目7番35号 ソニ

一株式会社内


(74)代理人 弁理士 松限 秀盛

(54) 【発明の名称】 回折格子型光学的ローパスフィルタ

(57)【要約】

【目的】 回折格子型光学的ローパスフィルタの格子バ ターンがイメージセンサに映り込むのを防止すること。

【構成】 回折格子の格子バターンを格子面の斜め方向 に2次元的に形成し、その格子周期を、Pg/Pi=2 /(2m+1)、但しPgは格子周期、Piはイメージ センサ画素ピッチ、mは正の整数、の関係で与えられる 垂直、水平方向のPgから算出して定める。



1

【特許請求の範囲】

【請求項1】 撮像装置に用いる回折格子型光学的ロー **バスフィルタであって、**

該回折格子の格子パターンが格子面の斜め方向に形成さ れた2次元格子パターンで成り、

該格子パターンの水平方向及び垂直方向の等価的周期が モアレピッチを最小にする値となるように各方向の格子 周期を設定したことを特徴とする回折格子型光学的ロー パスフィルタ。

【請求項2】 請求項1に記載の回折格子型光学的ロー 10 できる。 バスフィルタにおいて、前記モアレピッチが最小となる 回折格子の格子周期Pgがイメージセンサ画素ピッチP iと、Pg/Pi=2/(2m+1)、但しmは正の整 数、の関係で与えられることを特徴とする回折格子型光 学的ローパスフィルタ。

【請求項3】 請求項1又は2に記載の光学的ローパス フィルタにおいて、前記撮像装置が色フィルタを用いた 単板カラーイメージセンサで成り、該イメージセンサの 画素パターンと格子パターンとの間に発生するモアレ、 及び色フィルタパターンと格子パターンとの間に発生す 20 るモアレの両方について最適値となるように格子周期を 設定したことを特徴とする回折格子型光学的ローバスフ ィルタ。

【発明の詳細な説明】

[0001]

【産業上の利用分野】本発明は光学的ローパスフィルタ に関し、特に、イメージセンサの光学的ローパスフィル タとして回折格子を使う場合、回折格子のパターンがイ メージセンサに映り込むのを防止することに関する。

[0002]

【従来の技術】回折格子型の光学的ローパスフィルタを 設けた固体撮像装置は、その回折格子(フィルタ)を設 ける位置によって次の3つのタイプに大別することがで きる。

【0003】即ち、図4の(a)に示すように回折格子 を主レンズの外側に設ける遠隔型、(b)に示すように 回折格子を主レンズとイメージセンサの間に設ける接近 型、及び(c)に示すように回折格子をイメージセンサ に密着して設ける密着型である。

【0004】(a)の遠隔型は、ズームレンズの設計が 40 難しくなる、絞りによりローパスフィルタの特性が変化 する、等の問題がある。

【0005】絞りによるローパスフィルタの特性の変化 としては、例えばボケ像に回折格子パターンが見える等 の現象が問題となる。これに関して、回折格子パターン のピッチとイメージセンサの画素ピッチを整数倍の関係 にして映り込みを消す方法が提案されているが、現状で は回折格子パターンの方向とイメージセンサの垂直/水 平方向とは傾けて使っているために上述のピッチと一致

【0006】また上記(b)の近接型にした場合、回折 格子の像が映像に現われる、単板カラー方式に応用した 場合はカラーフィルタとモアレによる色ムラが生じる、

等の新たな問題が生じる。

【0007】従って、これらの問題を解消するためには (c) の密着型にするのが好ましい。これによれば、イ メージセンサのパッケージ内部に回折格子を形成させ、 回折格子パターンとイメージセンサの画素パターンとビ ッチを合わせこみ、映り込み現像の低減をはかることが

[0008]

【発明が解決しようとする課題】上述の密菪型を採用し た場合でも、近接型と同様に高域のMTF(modulation transfer function) 特性を改善するため、回折格子を 斜めに配置させるのが主流をなしており、やはり映り込 み現象が生じてしまう。本発明は、従来の光学的ローバ スフィルタの上述の欠点を克服し、回折格子のパターン がイメージセンサに映り込むのを防いだ光学的ローパス フィルタを提供することを目的とする。

[0009]

【課題を解決するための手段】本発明は、撮像装置に用 いる回折格子型光学的ローバスフィルタであって;該回 折格子の格子パターンが格子面の斜め方向に形成された 2次元格子パターンで成り;該格子パターンの水平方向 及び垂直方向の等価的周期がモアレビッチを最小にする 値となるように各方向の格子周期を設定したことを特徴 とする回折格子型光学的ローパスフィルタを提供する。 本発明の回折格子型光学的ローパスフィルタは、前記モ アレピッチが最小となる回折格子の格子周期Pgがイメ 30 ージセンサ画素ピッチPiと、Pg/Pi=2/(2m +1) の関係で与えられることが好ましい。但し、mは 正の整数である。また、本発明の光学的ローパスフィル タは、前記撮像装置が色フィルタを用いた単板カラーイ メージセンサで成り、該イメージセンサの画素パターン と格子パターンとの間に発生するモアレ、及び色フィル タパターンと格子パターンとの間に発生するモアレの両 方について最適値となるように格子周期を設定すること が好ましい。

[0010]

【作用】本発明によれば、回折格子型ローパスフィルタ を実用化する場合、最も大きな障害の一つとなる格子パ ターン映り込み現象について、これを定量化することが できるので、最適な格子パターンピッチにすることがで きる。

【0011】また、本発明の回折格子は、1次元だけで なく、2次元のモアレについても格子パターンを水平方 向と垂直方向に展開して計算されているので映り込み防 止の効果が一層大きい。

【0012】更に、画素パターンと格子パターンとの問 1 #6 7 L

間に発生するモアレについても同時に考慮して格子周期 を決められるので単板タイプのカラーイメージセンサに 応用することができる。

[0013]

【実施例】本発明の光学的ローバスフィルタの実施例の 説明に先立って、上述の映り込み現象が起こる原因と、 それに対する対策について説明する。

【0014】図5は回折光の分布モデルを示したもので あり、1は回折格子型光学ローパスフィルタ、2はイメ ージセンサである。同図から明らかなとおり、回折格子 10 1の1点に入射した入射光は、その格子面で回折光を生 じ中心の0次光の囲りに±1次回折光を生じ、この回折 光は回折格子1から離れるに従って拡がる。

【0015】ここで、格子間隔をp、回折格子面とイメ ージセンサの撮像面との間の距離をgとすると上記回折 光の広がりを示す分離幅δは

分離幅 δ = g λ / p 但しんは光の波長

で表わせる。

【0016】従って、回折格子をイメージセンサの近く 20 に配設した密着型では、分離幅δが小さいため±1次回 折光が主光(0次光)の近くに位置して撮像された画像 に影響を及ぼすことがある。

【0017】換言すると、回折格子パターンとイメージ センサ画素パターンとのピッチの関係で生じるモアレに より映り込みが生ずる。

【0018】これを改善するために回折格子のビッチを 最適に選ぶ方法が考えられる。今、イメージセンサの画 素ピッチをPi、回折格子パターンのピッチPg、モア 係がある。

[0019]

【数1】

$$\frac{1}{P} = \left| \begin{array}{c} n \\ P \end{array} \right| - \frac{1}{P g} \left| \begin{array}{c} \dots \\ \end{array} \right| (2)$$

【0020】ここで、nは正の整数で、入射光の高調波 の次数である。回折格子がイメージセンサの高解像度を 殺さないためにPg<Piに選ぶ必要がある。

したものである。同図の横軸は回折格子パターンのピッ チPgとイメージセンサ画素ピッチPiの比Pg/Pi を示し、縦軸はモアレピッチPとイメージセンサ画素ピ ッチPiの比P/Piを示している。

【0022】例えば、Pg/Piが2/5即ち0.4の 点について考えるとn=2とn=3のモアレピッチが最 大でP/Pi=2であり、n=1とn=4に対するモア レピッチが次に大きく、n=5に対するモアレピッチが 最小になっている。

ビッチの中の最大モアレビッチが最小となる点はn=m とn=m+1の両曲線の交点である。そして、その時の 値は下記の式(3)で与えられる。

[0024]

【数2】

$$\frac{Pg}{Pi} = \frac{2}{2m+1} \cdots (3)$$

【0025】式(3)が成立するとき、他のモアレはそ のピッチが画素ピッチよりも小さい、即ちP/Pi<1 であるからこれは無視することができる。

【0026】Piはイメージセンサの画素ピッチであ り、イメージセンサが与えられたときに決まる値である から、式(3)を使ってPgの値を求めることによって 回折格子パターンのピッチが決まる。

【0027】また、回折格子パターンPgの選定方法と して、モアレピッチPと画素ピッチPiの比P/Piが 最大(無限大)となるPgを選ぶようにすることも有効 である。このときの式は下記の式(4)で与えられる。

[0028]

【数3】

$$\frac{Pg}{Pi} = \frac{1}{r} \qquad \cdots \qquad (4)$$

但しては正の整数

[0029]式(4)の7に正の整数を代入して求めた Pg/Piに対するP/Piの値は図3において最大モ アレ周期が無限大となる値であるから、これによって画 面上にモアレは現れない。また、最大モアレを除いた他 レビッチをPとするとこれらの間には次の式 (2) の関 30 のモアレは画素ビッチ以下であるから無視することがで きる。

> 【0030】以上、モアレ周期について一次元的に考え てきたが、実際にはイメージセンサの画素パターンは水 平方向と垂直方向に周期構造を有する2次元パターンで あるため、2次元のモアレが発生する。そこで、回折格 子の2つの格子パターンを水平方向と垂直方向に展開し て考える必要がある。

【0031】本発明の光学的ローパスフィルタの1例に よれば、ローパスフィルタを構成する回折格子のパター [0021] 図3はP/PiとPg/Piとの関係を示 40 ンを単純にイメージセンサの画素パターンに合わせて縦 横に配列するのではなく、図1、図2に示すように斜め 方向に配列してある。

> 【0032】図1において、1は光学的ローパスフィル 夕を構成する回折格子を示し、その格子面には斜め方向 に格子パターンが形成されている。

> 【0033】このように格子パターンを斜めに形成する 理由は、空間周波数 f = 1 近傍を変調度 0 におとすため である。従来の複屈折の原理を用いた水晶フィルタにお いては、空間周波数fが1の近傍で変調度が0になるよ

これと同じようにすることが好ましく、それによって偽りの輝度を除去することができる。

【0034】図1において、左上り斜線で示した第1の格子パターンと、右上り斜線で示した第2の格子パターンが形成されている。そして、第1の格子パターンは第1の格子周期P1を有し、第2の格子パターンは第2の格子周期P2を有する。

【0035】図2は図1の格子バターンを拡大して描いたものである。図2において、P1Vは垂直方向の画素 周期(ピッチ)、P1Hは水平方向の画素周期である。

【0036】左上り斜線で与えられる格子パターンにより発生する回折光の回折方向はそれらの斜線に対して直角の方向であり、その格子周期はP1である。また右上り斜線で与えられる格子パターンによって発生する回折光の回折方向もこれらの斜線に垂直の方向であり、その格子問周期はP2である。

【0037】格子ピッチとイメージセンサの画素ピッチの関係を考えるため、垂直方向と水平方向の格子ピッチを考えると、図2の左上り斜線で与えられる第1格子ピッチとして垂直方向P1Vと水平方向P1Hがあり、右 20上り斜線で与えられる第2格子ピッチの垂直方向P2Vと水平方向P2Hがある。

【0038】 図示のパターンの場合、垂直格子周期P1 Vは長周期であり、垂直格子周期P2 Vは短周期である。これら長短垂直格子周期、水平格子周期を前述の関係に従って適切に選ぶことによって格子パターンの映り込みをおさえることができる。

【0039】即ち、イメージセンサの画素ピッチとの関係からP1V、P1Hを求め、図2に示すように水平方向と回折方向との角度に従って斜線の傾斜角度を決め、同様にしてP2V、P2Hを求め、垂直方向と回折方向との角度に従って斜線の傾斜角度を決めることによって格子ピッチを決めることができる。

【0040】次に本発明の回折格子型光学的ローパスフィルタと色フィルタアレイとの関係について説明する。 上述のイメージセンサ(固体撮像素子)に色フィルタを 設けた場合、色フィルタアレイのサンプリング周波数 (空間周波数)の1/2以上の周波数成分があると折り返し雑音が生じ、モアレ状のパターンが現われ、画質を著しく劣化させる。

【0041】従って本発明においては、回折格子の格子 パターンを最適に選ぶことによって色フィルタパターン によるモアレの発生も除去するようにする。

【0042】即ち、格子周期の選定の仕方は図3から明らかなとおり、最適パターンが数通りあるので、その中から、囲素パターンと格子パターンとの間に発生するモアレ、及び色フィルタバターンと格子バターンとの間に発生するモアレの両方を改善するような最適周期を選択することによってモアレの改善がはかれる。

【0043】以上、密着型光学的ローパスフィルタについて説明してきたが近接型の回折格子型光学的ローパスフィルタについても同様の考えがあてはまることは云うまでもない。また本発明は、上記に例示した実施形態に限定されるものではなく、本発明の技術思想を逸脱しない範囲で種々の変形がなしうることは勿論のことである。

20 [0044]

【発明の効果】本発明の回折格子型光学的ローパスフィルタは従来問題となっていた、回折格子のパターンがイメージセンサに映り込む現像について、回折格子のピッチを最適に選ぶことによって大幅に改善された。

【図面の簡単な説明】

【図1】回折格子型光学ローパスフィルタのパターン構成図である。

【図2】モアレ周期計算のためのモデルを示す線図である。

30 【図3】モアレビッチ特性図である。


【図4】各種回折格子型光学ローパスフィルタの構成配 置図である。

【図5】回折光の分布モデルを示す説明図である。 【符号の説明】


1 回折格子型光学ローパスフィルタ

P1, P2 格子周期


[図1]




[図2]




[図3]




【図4】






(占)近接型



[図5]



団折光の分布モデル(Q,t)次回折光)

International application No.

PCT/NZ03/00046

			PC1/NZ03/00046		
A	CLASSIFICATION OF SUBJECT MATTER		,		
Int. Ci. 7:	G02B 27/46, 5/32, G02F 1/1335; G06F 17/50				
According to	International Patent Classification (IPC) or to both	national classification and IPC			
В.	FIELDS SEARCHED				
Minimum docu	mentation searched (classification system followed by cl	assification symbols)			
	scarched other than minimum documentation to the exte				
Electronic data DWPI, JAPI	base consulted during the international search (name of of IO Keywords: spatial, hologra, cut off, low pasternation, psf; btdf, btsf, bidirection displac, spacing; blur; spatial; filter, freq	ass, transform, function; filter onal, scattering, transmission,	, diffus; G02B 27/46; point distribution: moire: distance.		
C.	DOCUMENTS CONSIDERED TO BE RELEVANT				
Cateģory*	Citation of document, with indication, where appropriate the control of the contr		Relevant to claim No.		
x	US 5046827 A (FROST et al.) 10 September Columns 1-3, 6, 8-10	1991	. 1-13, 17-19		
x	US 5706139 A (ICELLY) 6 January 1998 Columns 3-6	1-13, 17-19			
x	1-13, 17-19				
X F	urther documents are listed in the continuation	of Box C X See pat	ent family annex		
"A" docume which is relevance "E" earlier a after the	s not considered to be of particular an ce or application or patent but published on or "X" do a international filing date co	theory underlying the invention cument of particular relevance; the a asidered novel or cannot be conside then the document is taken alone	but cited to understand the principle claimed invention cannot be red to involve an inventive step		
"C" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international fitting					
date but	later than the priority date claimed				
Date of the actual completion of the international search Date of mailing of the international search Line of mailing of the international search Line of mailing of the international search Line of mailing of the international search					
	ing address of the ISA/AU	Authorized officer			
AUSTRALIAN PO BOX 200, V	PATENT OFFICE WODEN ACT 2606, AUSTRALIA pcl@ipaustralia.gov.au	MICHAEL HALL Telephone No: (02) 6283 2474	1		

International application No. PCT/NZ03/00046

C (Continuat	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category* .	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	US 3940788 A (ABE et al.) 24 February 1976 Columns 3-6	1, 3, 17, 19
Р, Х	JP 2002-156608 A (KUREHA CHEM IND CO LTD) 31 May 2002 (Figures and translation from http://www.ipdl.jpo.go.jp/homepg_e.ipdl) Paragraphs 7-16, 29-41, 47-51, Figure 2	1-13, 17-19
. A	Patent Abstracts of Japan, JP 07-198921 A (SONY CORP) 1 August 1995 Abstract	1-13, 17-19
. A	US 5337181 A (KELLY) 9 August 1994 Whole document	1-13, 17-19
. X	US 4613896 A (TAKITA et al.) 23 September 1986 Columns 3-4, claim 1	1-4, 10-13, 17-19
A	Patent Abstracts of Japan, JP 63-318856 A (27 December 1988) Abstract	1-13, 17-19
X	WO 00/17708 A (HONEYWELL INC.) 30 March 2000 Pages 13-16, Figure 16	14-15
х	US 4447141 A (EISENKRAFT) 8 May 1984 Columns 2, 5-6, 8	14-15
A	Patent Abstracts of Japan, JP 11-066306 A (RICOH CO LTD) 9 March 1999 Abstract	14-15
	·	•
	·	

International application No. PCT/NZ03/00046

Box I	Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)			
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:				
1.	Claims Nos :			
	because they relate to subject matter not required to be searched by this Authority, namely:			
•				
	·			
2,	X Claims No: 16			
	because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:			
	Claim 16 is so unclear in scope that no meaningful international search is possible.			
	<u> </u>			
3.	Claims Nos :			
	because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule $6.4(a)$			
Box II				
	Observations where unity of invention is lacking (Continuation of item 3 of first sheet)			
	rnational Searching Authority found multiple inventions in this international application, as follows:			
1. C	laims I-13, 17-19			
2. Cla	aims 14-15			
as rea	asoned on a separate sheet.			
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims			
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.			
3.	As only some of the required additional search fees were timely paid by the applicant, this international coarse			
	report covers only those claims for which fees were paid, specifically claims Nos.:			
	•			
A				
4.	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:			
•	, and the state of			
Remark (on Protest The additional search fees were accompanied by the applicant's protest.			
	<u> </u>			
	X No protest accompanied the payment of additional search fees.			

International application No.

PCT/NZ03/00046

Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

Continuation of Box No: II

The international application does not comply with the requirements of unity of invention because it does not relate to one invention or to a group of inventions so linked as to form a single general inventive concept. In coming to this conclusion the International Searching Authority has found that there are different inventions as follows:

- 1. Claims 1-13, 17-19 are directed to a method of controlling the point spread function of an optical system by altering the placement and the bidirectional scattering transmission function of a spatial filter. It is considered that control of the point spread function by altering the placement and bidirectional scattering transmission function of a spatial filter comprises a first "special technical feature".
- Claims 14-15 are directed to a method of optimising the spatial filtration of an image by use of a function incorporating the contrast sensitivity function of the human visual system. It is considered that spatial filtration via a function which incorporates the contrast sensitivity function of the human visual system comprises a second "special technical feature".

Since the abovementioned groups of claims do not share any of the technical features identified, a "technical relationship" between the inventions, as defined in PCT rule 13.2 does not exist. Moreover, while a feature common to all of the claims is control/optimisation associated with spatial filtering, this common feature is generic in the art (see also, for example, US 5337181 A (KELLY) 9 August 1994, and JP 04-219061 A (VICTOR CO OF JAPAN LTD) 10 August 1992). Consequently the common feature does not constitute "a special technical feature" within the meaning of PCT Rule 13.2, second sentence, since it makes no contribution over the prior art. Since there exists no other common feature which can be considered as a special technical feature within the meaning of PCT Rule 13.2, second sentence, no technical relationship within the meaning of PCT Rule 13 between the different inventions can be seen. Consequently it appears that a posteriori, the claims do not satisfy the requirement of unity of invention.

It is considered that these groups of claims require independent and separate searches of the literature, and could not be both be searched without involving significant extra effort.

Note 1: Claims 18 and 19 do not have any antecedent for "the optical system" when appended to claims 14 or 15, and hence are construed as appended only to any one of claims 1-13 and 17.

Note 2: Due to unclear appendancies in general (eg, claim 4 is appended to claims 5-13 which are in turn appended to claim 4, and claim 15 is appended to claim "n"), it is assumed for the purposes of this Report that

- (i) no claim is appended to a later claim; and
- (ii) claim 15 is appended only to claim 14.

Information on patent family members

International application No. PCT/NZ03/00046

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

	t Document Cited in Search Report			Pate	nt Family Member	•	
US	5046827	CA	2020372	EP	409188	JP	3148622
US	5706139	WO	9714987				
Ъ	9211392	NONE					
US	3940788	JР	49096628	•			
JP	2002156608	NONE					
JР	7198921	NONE					
US	5337181	NONE					
US	4613896	JР	60211830			•	
JР	63318856	NONE	-				
WO	200017708	CA	2345128	ĔP	1116070	EP	1271944
		US ·	6377306				
US	4447141	NONE					
JР	11066306	NONE					
	· · · · · · · · · · · · · · · · · · ·						END OF ANNEX